



Truck & SUV Lift Application Guide

Main Sections:

- LIFT - Truck & SUV, Domestic
- LIFT - Truck & SUV, Import
- LOWERING & LIFT - Blocks & Shocks
- FOOTNOTES

LIFT - Truck & SUV, Domestic

CADILLAC (GM)

Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
ESCALADE (incl ESV & EXT)						
2007-up (Vehicle specs req'd for fitment & exact adjustment)						
2&4wd	1		Coil	28-2034-100		34
2&4wd	2		Coil	28-2034-200		34
2&4wd	2		Strut spacer (alum)	28-2032-200		5
2&4wd		2	Coil spacer	28-2032-002		5
2&4wd		0	Shock : Off-Road Series, rear (lifted or OE ht)	28-2040-000		16
2&4wd	2	2	Coil, coil spacer	28-2074-202		39
2&4wd	2	2	Strut spacer (alum), coil spacer	28-2072-202		10
2&4wd	3	2	1" coil, 2" strut spacer (alum), coil spacer	28-2074-302		44
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

ESCALADE (incl ESV & EXT)

2000-2006 (Vehicle specs req'd for fitment & exact adjustment)						
2wd	4		Spindle	28-0536-400		50
2&4wd	1-3		Torsion key (adj)	28-0533-300		7
2&4wd		1.5	Coil spacer	28-0532-002		5
2&4wd		3	Coil spacer	28-0532-003		10
2&4wd		0	Shock : Off-Road Series, rear (lifted or OE ht)	28-0540-000		16
2&4wd	1-3	1.5	Torsion key (adj), coil spacer	28-0573-302		12
2wd	4	1.5	Spindle, coil spacer	28-0576-402		55
2wd	4	3	Spindle, coil spacer	28-0576-403	B	60

CHEVROLET & GMC (GM)

Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
COLORADO & CANYON, 2&4DR (some cases: * excl ZQ8, Xtreme & Sport)						
2004-2008 (Vehicle specs req'd for fitment & exact adjustment)						
2wd	2		Coil : 5cyl std cab (excl Z71, Z85) *	21-4534-210	A	23
2wd	2		Coil : 4cyl std cab (excl Z71, Z85) *	21-4534-200	A	23
2wd	2		Coil : 4 or 5 cyl, ext or crew cab (excl Z71, Z85) *	21-4534-220	A	23
2wd	3		Coil : Xtreme, Sport & Z85 models only	21-4534-230	B	23
2&4wd	1-3		Torsion key (adj) (all 4WD & Z71 2WD)	21-4533-300		7
2&4wd		2	Shackle (all 4WD & Z71 2WD)	21-4538-002		12
2wd		0	Shock : Off-Road Series, rear (lifted or OE ht)	21-4540-000		16
2&4wd	1-3	2	Torsion (adj), shackle (all 4WD & Z71 2WD)	21-4573-302		19



2wd	3	2	Coil, shackle (Xtreme & Sport models only)	21-4574-302	B	35
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

S10 S15 SONOMA BLAZER & JIMMY (some cases: * excl 98-up Blazer&Jimmy)

1982-2005 (Vehicle specs req'd for fitment & exact adjustment)

2wd	1		Coil : V6 (excl Xtreme)	21-1834-110		30
2wd	1		Coil : 4cyl	21-1834-100		30
2wd	2		Coil : V6	21-1834-210	A	30
2wd	2		Coil : 4cyl	21-1834-200	A	30
2wd	2		Coil : Xtreme models	21-1834-220	A	30
2wd	2.5		Coil : V6	21-1834-260	A C	30
2wd	2.5		Coil : 4cyl	21-1834-250	A C	30
2wd	2.5		Coil : Xtreme models	21-1834-270	A C	30
2wd	3		Coil : V6	21-1834-310	B C	30
2wd	3		Coil : 4cyl	21-1834-300	B C	30
2wd	3		Coil : Xtreme models	21-1834-320	B C	30
2wd	3		Spindle *	21-1836-300	E	45
4wd	1-3		Torsion key (adj)	21-1833-300		7
2wd	2		Coil spacer (all models w front coils)	21-1832-200	A	5
2wd	0		Upper lift control arm (needed for coils 2.5" & up)	21-1831-000		24
2wd	2.5		Coil, upper ctrl arm	21-1874-250	A	54
2wd	3		Coil, upper ctrl arm	21-1874-300	B	54
2wd	0		Extended brake line (fits 82-94)	21-1896-000		4
2wd	0		Extended brake line (fits 95-99)	21-1896-010		4
2wd	0		Extended brake line (fits 00-05)	21-1896-020		4
2wd		2	Shackle	21-1838-002		12
2wd		4	Flip kit	21-1839-004	B	30
2wd		6	Flip kit, shackle	21-1879-006	B	42
4wd		0	Shock : Off-Road Series, rear (lifted or OE ht)	21-1840-010		16
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	21-1840-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	21-1880-000		32
4wd	1-3	2	Torsion key (adj), shackle	21-1873-302		19
2wd	2	2	Coil spacer, shackle	21-1872-202	A	17
2wd	3	2	Spindle, brake line, shackle *	21-1876-302		61
2wd	3	2	Coil, upper ctrl arm, shackle	21-1874-302	B	66
2wd	3	2	Coil, upper ctrl arm, shackle, front shock	21-1884-302		82
2wd	3	2	Coil, upper ctrl arm, shackle, shock	21-1884-312		98
2wd	4	2	2"coil, 2"coil space, shackle	21-1874-402	B	47
2wd	4	2	2"coil, 2"coil space, shackle, front shock	21-1884-402		63
2wd	4	2	2"coil, 2"coil space, shackle, shock	21-1884-412		79
2wd	4	4	2"coil, 2"coil space, flip kit	21-1874-404	B	65
2wd	4	4	2"coil, 2"coil space, flip kit, shock	21-1884-404		97
2wd	5	2	3"spindle, 2"coil space, brake line, shackle *	21-1876-502	A	66
2wd	5	2	3"spindle, 2"coil space, brake line, shackle, front shock *	21-1886-502		82
2wd	5	4	3" spindle, 2" coil, brake line, flip kit, shock *	21-1886-505		141
2wd	6	4	3" spindle, 3" coil, upper ctrl arm, brake line, flip kit *	21-1876-605	B	133
2wd	6	4	3" spindle, 3" coil, upper ctrl arm, brake line, flip kit, shock *	21-1886-605		165
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

SILVERADO & SIERRA - 1500 class (unless stated)



08/2007-up (Vehicle specs req'd for fitment & exact adjustment)

Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
2&4wd	1		Coil	21-0634-100		34
2&4wd	2		Coil	21-0634-200		34
2&4wd	2		Strut spacer (alum)	21-0632-200		6
2&4wd		1.75	Shackle (fits 1500, 1500HD, 2500HD & 3500)	21-0638-002		4
2wd		2	Block	21-0630-002		15
2wd		3	Block	21-0630-003	A	20
2wd		4	Block	21-0630-004	B	24
2wd		0	Shock : Off-Road Series, rear (lifted or OE ht)	21-0640-000		16
2&4wd	3	1.75	1" coil, 2" strut spacer (alum), shackle	21-0674-302		44
2&4wd	3	2	1" coil, 2" strut spacer (alum), block	21-0674-312		55

SILVERADO & SIERRA - 1500 class (unless stated)

1999-07/2007 (Vehicle specs req'd for fitment & exact adjustment)

2wd	1		Coil : V8	21-3334-110		34
2wd	1		Coil : V6	21-3334-100		34
2wd	2		Coil : V8	21-3334-210	A	34
2wd	2		Coil : V6	21-3334-200	A	34
2wd	2.5		Coil : V8	21-3334-260	A	34
2wd	2.5		Coil : V6	21-3334-250	A	34
2wd	3		Coil : V8	21-3334-310	B C	34
2wd	3		Coil : V6	21-3334-300	B C	34
2wd	4		Spindle	21-3336-400	K	54
4wd	1-3		Torsion key (adj)	21-3333-300		7
2&4wd	1-3		Torsion key (adj) (all classes 4WD, all 8 lug 2WD & HD)	21-3333-310		7
2wd	2		Coil spacer (models w coil front, incl 1500, 2500 & 3500)	21-3332-200	A	5
2wd	0		Upper lift ctrl arm & ball joint (needed for coils 3" & up)	21-3331-000		25
2wd	3		Coil, upper ctrl arm & ball joint	21-3374-300	B	59
2&4wd		1.75	Shackle (fits 1500, 1500HD, 2500, 2500HD & 3500)	21-3338-002		4
2wd		2	Block	21-3330-002		15
2wd		3	Block	21-3330-003	A	20
2wd		4	Block	21-3330-004	B	24
2&4wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	21-3340-000		16
2&4wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	21-3380-000		32
4wd	1-3	1.75	Torsion key (adj), shackle	21-3373-302		11
2&4wd	1-3	1.75	Torsion key (adj), shackle (8lug 1500HD 2500 2500HD 3500)	21-3373-312		11
2wd	2.5	1.75	Coil, shackle	21-3374-252	A	38
2wd	2.5	1.75	Coil, shackle, front shock	21-3384-252		54
2wd	3	2	Coil, upper ctrl arm & ball joint, block	21-3374-302	B	74
2wd	3	2	Coil, upper ctrl arm & ball joint, block, shock	21-3384-312		106
2wd	4	1.75	Spindle, shackle	21-3376-402	K	58
2wd	4	2	Spindle, block	21-3376-412	K	69
2wd	4	2	Spindle, block, rear shock	21-3386-402	K	85
2wd	4	2	Spindle, block, shock	21-3386-412	K	101
2wd	4	3	Spindle, block	21-3376-403	A K	74
2wd	4	3	Spindle, block, rear shock	21-3386-403	K	90
2wd	4	3	Spindle, block, shock	21-3386-413	K	106
2wd	6	3	4" spindle, 2" coil spacer, block	21-3376-603	A K	79



2wd	6	3	4" spindle, 2" coil, block	21-3374-603	A K	108
2wd	6	3	4" spindle, 2" coil spacer, block, rear shock	21-3386-603	A K	95
2wd	6	3	4" spindle, 2" coil spacer, block, shock	21-3386-613	K	111
2wd	6	3	4" spindle, 2" coil, block, shock	21-3384-603	K	140
4wd	6	3	Spindle, drop down bracket, CV spacer, compression strut, block, shock	21-3386-623		152
2wd	6	4	4" spindle, 2" coil spacer, block	21-3376-604	B K	83
2wd	6	4	4" spindle, 2" coil, block	21-3374-604	B K	112
2wd	6	4	4" spindle, 2" coil spacer, block, rear shock	21-3386-604	A K	99
2wd	6	4	4" spindle, 2" coil spacer, block, shock	21-3386-614	K	115
2wd	6	4	4" spindle, 2" coil, block, shock	21-3384-654	K	144
2wd	6.5	3	4" spindle, 2.5" coil, block	21-3376-653	A K	108
2wd	6.5	3	4" spindle, 2.5" coil, block, shock	21-3386-653	K	140
2wd	6.5	4	4" spindle, 2.5" coil, block	21-3376-654	B K	112
2wd	6.5	4	4" spindle, 2.5" coil, block, shock	21-3386-654	K	144
2wd	7	3	4" spindle, 3" coil, upper ctrl arm & ball joint, block	21-3376-703	B K	133
2wd	7	3	4" spindle, 3" coil, upper ctrl arm & ball joint, block, front shock	21-3386-703	A K	149
2wd	7	3	4" spindle, 3" coil, upper ctrl arm & ball joint, block, shock	21-3386-713	K	165
2wd	7	4	4" spindle, 3" coil, upper ctrl arm & ball joint, block	21-3376-704	B K	137
2wd	7	4	4" spindle, 3" coil, upper ctrl arm & ball joint, block, shock	21-3386-704		169
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

SILVERADO & SIERRA - 1500HD, 2500, 2500HD & 3500 (includes Duramax)

2001-2008 (Vehicle specs req'd for fitment & exact adjustment)

2&4wd	1-3		Torsion key (adj)	21-3933-300		7
2&4wd		1.75	Shackle	21-3938-002		4
2&4wd		2	Block	21-3930-002		15
2&4wd		3	Block	21-3930-003	A	20
2&4wd		4	Block	21-3930-004	B	24
2&4wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	21-3940-000		16
2&4wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	21-3980-000		32
2&4wd	1-3	1.75	Torsion key (adj), shackle	21-3973-302		11
2&4wd	6	3	Spindle, drop down bracket, strut tube, block, shock	21-3986-603		152
2&4wd	6	3	Spindle, drop down bracket, CV spacer, strut tube, block, shock	21-3986-613		152
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

PICKUP TRUCK - C/K 1500 (unless stated. Incl 2500 6 lug. Some cases: * excl 88-91 std cab)

1988-1998 (Vehicle specs req'd for fitment & exact adjustment)

2wd	1		Coil : V8	21-0534-110		34
2wd	1		Coil : V6	21-0534-100		34
2wd	2		Coil : V8	21-0534-210	A	34
2wd	2		Coil : V6	21-0534-200	A	34
2wd	2.5		Coil : V8	21-0534-260	A	34
2wd	2.5		Coil : V6	21-0534-250	A	34
2wd	3		Coil : V8	21-0534-310	B C	34
2wd	3		Coil : V6	21-0534-300	B C	34
2wd	3		Spindle *	21-0536-300		50
2wd	4		Spindle *	21-0536-400		50
2wd	2		Coil spacer (models w coil front, incl 1500, 2500, 3500)	21-0532-200	A	5
4wd	1-3		Torsion key (adj)	21-0533-300		7
2wd	0		Upper lift control arm (needed for coils 3" & up)	21-0531-000		32



2wd	0		Ball joint (stronger than OE, for use w c-arm)	21-0591-000		2
2wd	3		Coil, upper ctrl arm	21-0574-300	B	66
2&4wd	1.75		Shackle	21-0538-002		4
2wd	2		Block	21-0530-002		15
2wd	3		Block	21-0530-003	A	20
2wd	4		Block	21-0530-004	B	24
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	21-0540-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	21-0580-000		32
2wd	2.5	1.75	Coil, shackle	21-0574-252	A	38
2wd	2.5	1.75	Coil, shackle, front shock	21-0584-252		54
4wd	1-3	1.75	Torsion key (adj), shackle	21-0573-302		11
2wd	3	2	Coil, block	21-0574-302	B C	49
2wd	3	2	Coil, upper ctrl arm, block	21-0574-312	B	81
2wd	3	2	Coil, upper ctrl arm, block, front shock	21-0584-302		97
2wd	3	2	Coil, upper ctrl arm, block, shock	21-0584-312		113
2wd	3	2	Spindle, block *	21-0576-302		65
2wd	4	2	Spindle, block *	21-0576-402		65
2wd	4	3	Spindle, block *	21-0576-403	A	70
2wd	4	3	Spindle, block, rear shock *	21-0586-403		86
2wd	4	3	Spindle, block, shock *	21-0586-413		102
2wd	5	3	3" spindle, 2" coil spacer, block *	21-0576-503	A	75
2wd	5	3	3" spindle, 2" coil, block *	21-0574-503	A	104
2wd	5	3	3" spindle, 2" coil spacer, block, rear shock *	21-0586-503	A	91
2wd	5	3	3" spindle, 2" coil spacer, block, shock *	21-0586-513		107
2wd	5	3	3" spindle, 2" coil, block, shock *	21-0584-503		136
2wd	5.5	4	3" spindle, 2.5" coil, block *	21-0576-554	B	108
2wd	5.5	4	3" spindle, 2.5" coil, block, rear shock *	21-0586-554	A	124
2wd	5.5	4	3" spindle, 2.5" coil, block, shock *	21-0586-564		140
2wd	6	4	4" spindle, 2" coil spacer, block *	21-0576-604	B	79
2wd	6	4	4" spindle, 2" coil, block *	21-0574-604	B	108
2wd	6	4	4" spindle, 2" coil spacer, block, rear shock *	21-0586-604	A	95
2wd	6	4	4" spindle, 2" coil spacer, block, shock *	21-0586-614		111
2wd	6	4	4" spindle, 2" coil, block, shock *	21-0584-604		140
2wd	6.5	4	4" spindle, 2.5" coil, block *	21-0576-654	B	108
2wd	6.5	4	4" spindle, 2.5" coil, block, shock *	21-0586-654		140
2wd	7	4	4" spindle, 3" coil, upper ctrl arm, block *	21-0576-704	B	106
2wd	7	4	4" spindle, 3" coil, upper ctrl arm, block, shock *	21-0586-704		138
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

PICKUP TRUCK - C/K 10, 15, 1500 class (& 2500 6 lug)

1973-1987

(Vehicle specs req'd for fitment & exact adjustment)

2&4wd		1.75-2	Shackle (2.5" wide rear leafs only)	21-1238-002		4
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	21-1240-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	21-1280-000		32
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

PICKUP TRUCK - C/K 20 & 30 (includes 2500 & 3500)

1973-1991

(Vehicle specs req'd for fitment & exact adjustment)

2&4wd		1.75-2	Shackle (2.5" wide rear leafs only)	21-0938-002		4
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	21-0940-000		16



Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	21-0980-000		32

SUBURBAN, AVALANCHE, TAHOE & YUKON (1500 class unless stated, excl Yukon Denali & XL)

2007-up (Vehicle specs req'd for fitment & exact adjustment)

2&4wd	1		Coil	21-4834-100		34
2&4wd	2		Coil	21-4834-200		34
2&4wd	2		Strut spacer (alum)	21-4832-200		5
2&4wd		2	Coil spacer	21-4832-002		6
2&4wd		0	Shock : Off-Road Series, rear (lifted or OE ht)	21-4840-000		16
2&4wd	2	2	Coil, coil spacer	21-4874-202		40
2&4wd	2	2	Strut spacer (alum), coil spacer	21-4872-202		11
2&4wd	3	2	1" coil, 2" strut spacer (alum), coil spacer	21-4874-302		45
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

YUKON DENALI & YUKON XL

2007-up (Vehicle specs req'd for fitment & exact adjustment)

2&4wd	1		Coil	21-4734-100		34
2&4wd	2		Coil	21-4734-200		34
2&4wd	2		Strut spacer (alum)	21-4732-200		5
2&4wd		2	Coil spacer	21-4732-002		6
2&4wd		0	Shock : Off-Road Series, rear (lifted or OE ht)	21-4740-000		16
2&4wd	2	2	Coil, coil spacer	21-4774-202		40
2&4wd	2	2	Strut spacer (alum), coil spacer	21-4772-202		11
2&4wd	3	2	1" coil, 2" strut spacer (alum), coil spacer	21-4774-302		54
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

SUBURBAN, AVALANCHE, TAHOE, YUKON & DENALI & XL (1500 class unless stated)

2000-2006 (Vehicle specs req'd for fitment & exact adjustment)

2wd	4		Spindle	21-3636-400		50
2&4wd	1-3		Torsion key (adj) (excl XL)	21-3633-300		7
2&4wd	1-3		Torsion key (adj) (only 8 lug 2500 class, incl XL)	21-3633-310		7
2&4wd		1.5	Coil spacer	21-3632-002		5
2&4wd		3	Coil spacer	21-3632-003		10
2&4wd		1.75	Shackle (only Suburban 2500)	21-3638-002		4
2&4wd		2	Coil	21-3634-002		34
2&4wd		3	Coil	21-3634-003	A	34
2&4wd		4	Coil	21-3634-004	B	34
2&4wd		0	Shock : Off-Road Series, rear (lifted or OE ht)	21-3640-000		16
2&4wd	1-3	1.5	Torsion key (adj), coil spacer	21-3673-302		12
2&4wd	1-3	1.75	Torsion key (adj), shackle (only Suburban 2500)	21-3673-312		11
2wd	4	1.5	Spindle, coil spacer	21-3676-402		55
2wd	4	3	Spindle, coil spacer	21-3676-403	B	60
2wd	6	4	4" spindle, 3" torsion key (adj), rear coil	21-3676-604	B	91
2wd	6	4	4" spindle, 3" torsion key (adj), rear coil, rear shock	21-3686-604		107
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

SUBURBAN (-1999), YUKON & TAHOE (95-99) & TAHOE LTD (-2000) (1500 class unless stated)

1992-1999 (Vehicle specs req'd for fitment & exact adjustment)

2wd	1		Coil (V8)	21-0734-110		34
2wd	1		Coil (V6)	21-0734-100		34
2wd	2		Coil (V8)	21-0734-210	A	34



2wd	2		Coil (V6)	21-0734-200	A	34
2wd	2.5		Coil (V8)	21-0734-260	A	34
2wd	2.5		Coil (V6)	21-0734-250	A	34
2wd	3		Coil (V8)	21-0734-310	B C	34
2wd	3		Coil (V6)	21-0734-300	B C	34
2wd	3		Spindle	21-0736-300		50
2wd	4		Spindle	21-0736-400		50
4wd	1-3		Torsion key (adj)	21-0733-300		7
2&4wd	2		Coil spacer (models w coil front, incl 1500 & 2500)	21-0732-200	A	5
2wd	0		Upper lift control arm (needed for coils 3" & up)	21-0731-000		32
2wd	0		Ball joint (stronger than OE, for use w c-arm)	21-0791-000		2
2wd	3		Coil, upper ctrl arm	21-0774-300	B	66
2&4wd	1.75		Shackle	21-0738-002		4
2wd	2		Block	21-0730-002		15
2wd	3		Block	21-0730-003	A	20
2wd	4		Block	21-0730-004	B	24
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	21-0740-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	21-0780-000		32
2wd	2.5	1.75	Coil, shackle	21-0774-252	A	38
2wd	2.5	1.75	Coil, shackle, front shock	21-0784-252		54
4wd	1-3	1.75	Torsion key (adj), shackle	21-0773-302		11
2wd	3	1.75	Spindle, shackle	21-0778-302		54
2wd	3	2	Coil, upper ctrl arm, block	21-0774-302	B	81
2wd	3	2	Coil, upper ctrl arm, block, front shock	21-0784-302		97
2wd	3	2	Coil, upper ctrl arm, block, shock	21-0784-312		113
2wd	3	2	Spindle, block	21-0776-302		65
2wd	4	2	Spindle, block	21-0776-402		65
2wd	4	3	Spindle, block	21-0776-403	A	70
2wd	4	3	Spindle, block, rear shock	21-0786-403		86
2wd	4	3	Spindle, block, shock	21-0786-413		102
2wd	5	3	3" spindle, 2" coil spacer, block	21-0776-503	A	75
2wd	5	3	3" spindle, 2" coil, block	21-0774-503	A	104
2wd	5	3	3" spindle, 2" coil spacer, block, rear shock	21-0786-503	A	91
2wd	5	3	3" spindle, 2" coil spacer, block, shock	21-0786-513		107
2wd	5	3	3" spindle, 2" coil, block, shock	21-0784-503		136
2wd	5	4	3" spindle, 2" coil spacer, block	21-0776-504	B	79
2wd	5	4	3" spindle, 2" coil, block	21-0774-504	B	108
2wd	5	4	3" spindle, 2" coil spacer, block, rear shock	21-0786-504	A	95
2wd	5	4	3" spindle, 2" coil spacer, block, shock	21-0786-514		111
2wd	5	4	3" spindle, 2" coil, block, shock	21-0784-504		140
2wd	5.5	4	3" spindle, 2.5" coil, block	21-0776-554	B	108
2wd	5.5	4	3" spindle, 2.5" coil, block, shock	21-0786-554		140
2wd	6	4	4" spindle, 2" coil spacer, block	21-0776-604	B	79
2wd	6	4	4" spindle, 2" coil, block	21-0774-604	B	108
2wd	6	4	4" spindle, 2" coil spacer, block, rear shock	21-0786-604	A	95
2wd	6	4	4" spindle, 2" coil spacer, block, shock	21-0786-614		111
2wd	6	4	4" spindle, 2" coil, block, shock	21-0784-604		140
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT



SUBURBAN, BLAZER & JIMMY (1500 class / full size)

1973-1991 (Vehicle specs req'd for fitment & exact adjustment)						
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
2&4wd	1.75-2		Shackle (2.5"wide rear leafs only)	21-1538-002		4
2wd	2		Block	21-1530-002		15
2wd	3		Block	21-1530-003	A	20
2wd	4		Block	21-1530-004	B	24
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	21-1540-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	21-1580-000		32

DODGE

DAKOTA (97-04) & DURANGO (97-03)

1997-2004 (Vehicle specs req'd for fitment & exact adjustment)						
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
2wd	1		Coil : V8	26-0934-110		30
2wd	1		Coil : 4cyl & V6	26-0934-100		30
2wd	2		Coil : V8	26-0934-210	A	30
2wd	2		Coil : 4cyl & V6	26-0934-200	A	30
2wd	2.5		Coil : V8	26-0934-260	A C	30
2wd	2.5		Coil : 4cyl & V6	26-0934-250	A C	30
2wd	3		Coil : V8	26-0934-310	B C	30
2wd	3		Coil : 4cyl & V6	26-0934-300	B C	30
2wd	2		Coil spacer	26-0932-310	A	5
4wd	1-3		Torsion key (adj)	26-0933-300		7
2wd	0		Upper lift ctrl arm & ball joint (req'd for coils 2.5" & up)	26-0931-000		25
2wd	2.5		Coil, upper ctrl arm & ball joint	26-0974-250	A	55
2wd	3		Coil, upper ctrl arm & ball joint	26-0974-300	B	55
2&4wd		1-2	Shackle (adj)	26-0938-002		6
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	26-0940-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	26-0980-000		32
2wd	3	1-2	Coil, upper ctrl arm & ball joint, shackle (adj)	26-0974-302	B	61
2wd	3	1-2	Coil, upper ctrl arm & ball joint, shackle (adj), shock	26-0984-302		93
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

RAM - 1500 class (some cases: * 2500 & 3500 only)

2002-2005 (Vehicle specs req'd for fitment & exact adjustment)						
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
2wd	2		Coil : V8 4dr	26-1234-240	A	30
2wd	2		Coil : V8 ext cab	26-1234-230	A	30
2wd	2		Coil : V8 std cab	26-1234-220	A	30
2wd	2		Coil : V6 ext cab	26-1234-210	A	30
2wd	2		Coil : V6 std cab	26-1234-200	A	30
2wd	4		Spindle	26-1236-400	G K L	50
2wd	2		Coil spacer (fits 1500 w front coils)	26-1232-200	A	5
4wd	2		Coil spacer (fabricated) (8 lug) *	26-1232-210	A L	5
4wd	2		Coil spacer (fabricated) (06-up 8 lug Mega Cab) *	26-1232-220	A L	5
4wd	2.5		Strut spacer (fabricated) (06-up only)	26-1232-250		5
2&4wd		2-3	Shackle (adj) (fits 02-08)	26-1238-003	A	6
2wd		2	Block	26-1230-002		15
2wd		3	Block	26-1230-003	A	20
2wd		4	Block	26-1230-004	B	24



2wd	0		Wheel spacer	26-1232-000		5
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	26-1240-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	26-1280-000		32
2wd	4	2	Spindle, block	26-1276-402	G K L	65
2wd	4	3	Spindle, block	26-1276-403	A G K L	70
2wd	4	3	Spindle, block, rear shock	26-1286-403	G K L	86
2wd	4	3	Spindle, block, shock	26-1286-413	G K L	102
2wd	6	4	4" spindle, 2" coil spacer, block	26-1276-604	B G K L	79
2wd	6	4	4" spindle, 2" coil spacer, block, rear shock	26-1286-604	A G K L	95
2wd	6	4	4" spindle, 2" coil spacer, block, shock	26-1286-614	G K L	111
2wd	6	4	4" spindle, 2" coil, block	26-1276-614	B G K L	104
2wd	6	4	4" spindle, 2" coil, block, shock	26-1286-624	G K L	136
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

RAM - 1500 class, includes Sport (some cases: * 2500 & 3500 only)

1994-2000 (Vehicle specs req'd for fitment & exact adjustment)

2wd	1		Coil : V8	26-0634-110		30
2wd	1		Coil : V6	26-0634-100		30
2wd	2		Coil : V8	26-0634-210	A	30
2wd	2		Coil : V6	26-0634-200	A	30
2wd	2.5		Coil : V8	26-0634-260	A	30
2wd	2.5		Coil : V6	26-0634-250	A	30
2wd	3		Coil : V8	26-0634-310	B C	30
2wd	3		Coil : V6	26-0634-300	B C	30
2wd	3		Spindle (94-99)	26-0636-300		50
2wd	3		Spindle (00-01)	26-0636-310		50
2wd	2		Coil spacer (fits 1500 w front coils)	26-0632-200	A	5
4wd	2		Coil spacer (fabricated)	26-0632-210	A L	5
4wd	2		Coil spacer (fabricated) (8 lug) *	26-0632-220	A L	5
2wd	0		Upper lift control arm (needed for coils 3" & up)	26-0631-000		25
2wd	0		Ball joint (stronger than OE, for use w c-arm)	26-0691-000		2
2wd	3		Coil, upper ctrl arm	26-0674-300	B	55
2&4wd		1.75	Shackle	26-0638-002		4
2wd		2	Block	26-0630-002		15
2wd		3	Block	26-0630-003	A	20
2wd		4	Block	26-0630-004	B	24
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	26-0640-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	26-0680-000		32
2wd	2.5	1.75	Coil, shackle	26-0674-252	A	34
2wd	2.5	1.75	Coil, shackle, front shock	26-0684-252		50
2wd	3	1.75	Coil, upper ctrl arm, shackle	26-0674-302	A	59
2wd	3	1.75	Coil, upper ctrl arm, shackle, front shock	26-0684-302		75
2wd	3	1.75	Coil, upper ctrl arm, shackle, shock	26-0684-312		91
2wd	3	2	Coil, upper ctrl arm, block	26-0674-312	C	70
2wd	3	2	Coil, upper ctrl arm, block, shock	26-0684-322		102
2wd	5	3	3" spindle, 2" coil spacer, block	26-0676-503	A	75
2wd	5	3	3" spindle, 2" coil, block	26-0674-503	A	100



2wd	5	3	3" spindle, 2" coil spacer, block, rear shock	26-0686-503	A	91
2wd	5	3	3" spindle, 2" coil spacer, block, shock	26-0686-513		107
2wd	5	3	3" spindle, 2" coil, block, shock	26-0684-513		132
2wd	5	4	3" spindle, 2" coil spacer, block	26-0676-504	B	79
2wd	5	4	3" spindle, 2" coil, block	26-0674-504	B	77
2wd	5	4	3" spindle, 2" coil spacer, block, rear shock	26-0686-504	A	95
2wd	5	4	3" spindle, 2" coil spacer, block, shock	26-0686-514		111
2wd	5	4	3" spindle, 2" coil, block, shock	26-0684-504		136
2wd	5.5	3	3" spindle, 2.5" coil, block	26-0676-553	A	100
2wd	5.5	3	3" spindle, 2.5" coil, block, shock	26-0686-553		132
2wd	5.5	4	3" spindle, 2.5" coil, block	26-0676-554	B	104
2wd	5.5	4	3" spindle, 2.5" coil, block, shock	26-0686-554		136
2wd	6	4	3" spindle, 3" coil, upper ctrl arm, block	26-0676-604	B	129
2wd	6	4	3" spindle, 3" coil, upper ctrl arm, block, shock	26-0686-604		161
2wd	6	4	3" spindle, 3" coil, upper ctrl arm & ball joint, block	26-0676-614	B	131
2wd	6	4	3" spindle, 3" coil, upper ctrl arm & ball joint, block, shock	26-0686-614		163
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

RAM - 100, 150, 250 class

1986-1993

(Vehicle specs req'd for fitment & exact adjustment)

2&4wd		1.75-2	Shackle (2.5" wide rear leafs only)	26-0438-002		4
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	26-0440-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	26-0480-000		32

FORD

Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
ALL TRUCK						
2004-up (Vehicle specs req'd for fitment & exact adjustment)						
2&4wd		1.75-2	Shackle (3" wide rear leafs only)	30-9938-002		4
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	30-9940-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	30-9980-000		32
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

ALL TRUCK

1973-2003

(Vehicle specs req'd for fitment & exact adjustment)

2&4wd		1.75-2	Shackle (2.5" wide rear leafs only)	30-9838-002		4
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	30-9840-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	30-9880-000		32
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

ESCAPE

2001-2007

(Vehicle specs req'd for fitment & exact adjustment)

2&4wd	1.25		Coil (4cyl & 6cyl)	30-3334-130	D	22
2&4wd		1	Coil (4cyl & 6cyl)	30-3334-001		18
2&4wd	1.25	1	Coil (4cyl & 6cyl)	30-3374-131	D	40
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

EXCURSION

2000-2004

(Vehicle specs req'd for fitment & exact adjustment)

2&4wd	0	0	Shock : Street series, front or rear (lowered or OE ht)	30-3040-000		14
2&4wd	0	0	Shock : Street series, front & rear (lowered or OE ht)	30-3080-000		28
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT



EXPEDITION

1997-2002 (Vehicle specs req'd for fitment & exact adjustment)

Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
2wd	1		Coil : V8	30-1834-110		30
2wd	1		Coil : V6	30-1834-100		30
2wd	2		Coil : V8	30-1834-210	A D	30
2wd	2		Coil : V6	30-1834-200	A D	30
2wd	2.5		Coil : V8	30-1834-260	A C D	30
2wd	2.5		Coil : V6	30-1834-250	A C D	30
2wd	3		Coil : V8	30-1834-310	B C D	30
2wd	3		Coil : V6	30-1834-300	B C D	30
2wd	3.5		Spindle	30-1836-350		60
4wd	1-3		Torsion key (adj)	30-1833-300	D	7
2wd	2		Coil spacer (all models w front coils)	30-1832-200	A D	5
4wd	2		Coil spacer (all models w front coils)	30-1832-210	A D	5
2wd	0		Upper lift ctrl arm & ball joint (req'd for coils 2.5" & up)	30-1831-000		32
2wd	2.5		Coil, upper ctrl arm & ball joint	30-1874-250	A D	62
2wd	3		Coil, upper ctrl arm & ball joint	30-1874-300	B D	62
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	30-1840-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	30-1880-000		32
2wd		2	Coil spacer	30-1832-002		5
2wd	2	2	Coil spacer	30-1872-202	A D	10
2wd	2	2	Coil, coil spacer	30-1874-202	A D	35
2wd	3	2	Coil, upper ctrl arm & ball joint, coil spacer	30-1874-302	B D	67
2wd	3	2	Coil, upper ctrl arm & ball joint, coil spacer, front shock	30-1884-302	D	83
2wd	3	2	Coil, upper ctrl arm & ball joint, coil spacer, shock	30-1884-312	D	99
2wd	3.5	2	Spindle, coil spacer	30-1876-352		65
2wd	4.5	2	3.5" spindle, 1" coil, 2" coil spacer	30-1876-452		95
4wd	6	3	Spindle, drop down bracket, coil, shock	30-1886-603	M	167

EXPLORER (some cases: * excl Sport Trac)

2002-2005 (Vehicle specs req'd for fitment & exact adjustment)

Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
4wd	1-3		Torsion key (adj)	30-3633-300	D	7
2wd	3		Spindle (99-03 only) *	30-3636-300		60
4wd		1-2	Shackle (adj)	30-3638-002		12
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	30-3640-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	30-3680-000		32
4wd	1-3	1-2	Torsion key (adj), shackle (adj)	30-3633-302	D	19

RANGER (some cases: * excl Edge, ** excl Edge, Splash & STX)

1998-2008 (Vehicle specs req'd for fitment & exact adjustment)

2wd	1		Coil : V6 **	30-2434-110		34
2wd	1		Coil : 4cyl **	30-2434-100		30
2wd	2		Coil : V6 **	30-2434-210	A D	34
2wd	2		Coil : 4cyl **	30-2434-200	A D	30
2wd	2.5		Coil : V6 **	30-2434-260	A C D	34
2wd	2.5		Coil : 4cyl **	30-2434-250	A C D	30
2wd	3		Coil : V6 **	30-2434-310	B C D	34
2wd	3		Coil : 4cyl **	30-2434-300	B C D	30



2wd	2		Coil (fits Splash & STX only)	30-2434-220	A D	34
2wd	3		Coil (fits Splash & STX only)	30-2434-320	B C D	34
2wd	3		Spindle (fits 98-00)	30-2436-300		60
2wd	3		Spindle (fits 01-08)	30-2436-310		60
2wd	3		Spindle (fits 99-up Edge)	30-2436-320		60
2&4wd	1-3		Torsion key (adj) (4WD, incl 2&4WD Edge)	30-2433-300	D	7
2wd	2		Coil spacer (all models w front coils) *	30-2432-200	A D	5
2wd	0		Upper lift ctrl arm & ball joint (req'd for coils 2.5" & up)	30-2431-000		25
2wd	2.5		Coil, upper ctrl arm & ball joint *	30-2474-250	A D	55
2wd	3		Coil, upper ctrl arm & ball joint *	30-2474-300	B D	55
2&4wd		1-2	Shackle (adj)	30-2438-002		12
2&4wd		2	Block (alum)	30-2430-002		15
2&4wd		3	Block (alum)	30-2430-003	A	20
2&4wd		4	Block (alum)	30-2430-004	B	24
2&4wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	30-2440-000		16
2&4wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	30-2480-000		32
2wd	2	1-2	Coil spacer, shackle (adj) *	30-2472-202	A D	17
2wd	2	1-2	Coil, shackle (adj) *	30-2474-212	A D	42
2wd	2	1-2	Coil, shackle (adj), front shock *	30-2484-212	D	58
2wd	2	2	Coil, block *	30-2474-202	A D	40
2wd	2	2	Coil, block, front shock *	30-2484-202	D	56
2wd	2	2	Coil, block, shock *	30-2484-222	D	56
2wd	3	1-2	Coil, shackle (adj) *	30-2478-302	B C D	51
2wd	3	1-2	3" coil, upper ctrl arm & ball joint, shackle (adj) *	30-2478-312	B D	76
2wd	3	1-2	3" coil, upper ctrl arm & ball joint, shackle (adj), front shock *	30-2488-302	D	92
2wd	3	2	Spindle, block	30-2476-302		75
2wd	3	2	3" coil, upper ctrl arm & ball joint, block *	30-2474-302	B D	74
2wd	3	2	3" coil, upper ctrl arm & ball joint, block, front shock *	30-2484-302	D	90
2wd	3	2	3" coil, upper ctrl arm & ball joint, block, shock *	30-2484-312	D	106
2&4wd	1-3	1-2	Torsion key (adj), shackle (4WD, incl 2&4WD Edge)	30-2473-302	D	19
2wd	5	3	3" spindle, 2" coil spacer, block *	30-2476-503	A D	85
2wd	5	3	3" spindle, 2" coil, block *	30-2474-503	A D	114
2wd	5	3	3" spindle, 2" coil spacer, block, rear shock *	30-2486-503	A D	101
2wd	5	3	3" spindle, 2" coil spacer, block, shock *	30-2486-513	D	117
2wd	5	3	3" spindle, 2" coil, block, shock *	30-2484-503	D	146
2wd	5	4	3" spindle, 2" coil spacer, block *	30-2476-504	B D	89
2wd	5	4	3" spindle, 2" coil, block *	30-2474-504	B D	118
2wd	5	4	3" spindle, 2" coil spacer, block, rear shock *	30-2486-504	A D	105
2wd	5	4	3" spindle, 2" coil spacer, block, shock *	30-2486-514	D	121
2wd	5	4	3" spindle, 2" coil, block, shock *	30-2484-504	D	150
2wd	6	4	3" spindle, 3" coil, upper ctrl arm & ball joint, block *	30-2476-604	B D	143
2wd	6	4	3" spindle, 3" coil, upper ctrl arm & ball joint, block, shock *	30-2486-604	D	175
2wd	6	5-6	3"spindle,3"coil,c-arm & balljoint,shackle(adj),block *	30-2476-606	B D	155
2wd	6	5-6	3"spindle,3"coil,c-arm & balljoint,shackle(adj),block,shock *	30-2486-606	D	187
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

RANGER

1983-1997 (Vehicle specs req'd for fitment & exact adjustment)

2wd	1.5		Coil	30-0534-200	D	30
-----	-----	--	------	-------------	---	----



2wd	2		Coil	30-0534-210	A D	30
2&4wd		1-2	Shackle (adj)	30-0538-002		12
2wd		2	Block	30-0530-002		15
2wd		3	Block	30-0530-003	A	20
2wd		4	Block	30-0530-004	B	24
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	30-0540-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	30-0580-000		32
2wd	1.5	1-2	Coil, shackle (adj)	30-0574-152	D	42
2wd	2	1-2	Coil, shackle (adj)	30-0574-212	A D	45
2wd	2	1-2	Coil, shackle (adj), shock	30-0584-212	D	74
2wd	2	2	Coil, block	30-0574-202	A D	36
2wd	2	2	Coil, block, shock	30-0584-202	D	68
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

F150 (some cases: ** F250 & F350 only, * excl Harley Davidson edition)

2004-2008 (Vehicle specs req'd for fitment & exact adjustment)

2&4wd	2		Coil (excl Super Duty) *	30-3934-200	A D	30
2&4wd	2		Coil (Super Duty only) *	30-3934-210	A D	30
2&4wd	2		Coil (Harley Davidson edition only)	30-3934-220	A D	30
2&4wd	3.75		Coil (Super Duty only) *	30-3934-380	B C D	30
4wd	2.5		Coil spacer (fabricated) (05-08 only) **	30-3932-250	A D L	7
2&4wd	2.75		Strut spacer (alum)	30-3932-280		7
2&4wd	3		Strut spacer (fabricated)	30-3932-310		7
2&4wd		1.5	Shackle	30-3938-002		7
2&4wd		0	Shock : Off-Road Series, rear (lifted or OE ht)	30-3940-000		16
2&4wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht) **	30-3940-010		16
2&4wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht) **	30-3980-000		32
2&4wd	2.75	1.5	Strut spacer (alum), shackle	30-3972-282		14
2&4wd	3	1.5	Strut spacer (fabricated), shackle	30-3972-312		14
2wd	6	3	Spindle,strut spacer,drop down bracket,impact strut,block,shock	30-3976-603		175
4wd	6	4	Spindle,strut spacer,drop down bracket,impact strut,CV spacer,block,shock	30-3986-604		175
2wd	7	4	Spindle,strut spacer,coilover(adj),drp dwn brckt,impact strut,block,shock	30-3986-704		175
4wd	7-8	4	Spindle,strutspacer,coilover(adj),drpdwn brckt,impactstrut,CVspacer,block,shock	30-3986-804		182
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

F150 (excl 7700 series. Some cases: ** incl 1999+ F250 & F350, * excl Harley Davidson & Lightning)

1997-2003 (Vehicle specs req'd for fitment & exact adjustment)

2wd	1		Coil : V8 *	30-2134-110		30
2wd	1		Coil : V6 *	30-2134-100		30
2wd	2		Coil : V8 *	30-2134-210	A D	30
2wd	2		Coil : V6 *	30-2134-200	A D	30
2wd	2.5		Coil : V8 *	30-2134-260	A C D	30
2wd	2.5		Coil : V6 *	30-2134-250	A C D	30
2wd	3		Coil : V8 *	30-2134-310	B C D	30
2wd	3		Coil : V6 *	30-2134-300	B C D	30
2wd	2		Coil (Harley Davidson & Lightning editions only)	30-2134-220	A D	30
2wd	3		Coil (Harley Davidson & Lightning editions only)	30-2134-320	A C D	30
2wd	3.5		Spindle	30-2136-350		60
2wd	0		Upper lift ctrl arm & ball joint (req'd for coils 2.5" & up)	30-2131-000		32
2wd	2.5		Coil, upper ctrl arm & ball joint	30-2174-250	A D	62



2wd	3		Coil, upper ctrl arm & ball joint	30-2174-300	B D	62
4wd	1-3		Torsion key (adj)	30-2133-300	D	7
2wd	2		Coil spacer (all models w front coils)	30-2132-200	A D	5
2&4wd	1.75		Shackle	30-2138-002		7
2wd	2		Block	30-2130-002		15
2wd	3		Block	30-2130-003	A	20
2wd	4		Block	30-2130-004	B	24
2&4wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht) **	30-2140-000		16
2&4wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht) **	30-2180-000		32
2wd	2	1.75	Coil spacer, shackle	30-2172-202	A D	12
2wd	2	1.75	Coil, shackle	30-2174-202	A D	37
4wd	1-3	1.75	Torsion key (adj), shackle	30-2173-302	D	14
2wd	3	1.75	Coil, shackle	30-2174-302	A C D	37
2wd	3	1.75	Coil, upper ctrl arm & ball joint, shackle	30-2174-312	A D	69
2wd	3	1.75	Coil, upper ctrl arm & ball joint, shackle, front shock	30-2184-302	D	85
2wd	3	2	Coil, upper ctrl arm & ball joint, block	30-2174-322	B D	77
2wd	3	2	Coil, upper ctrl arm & ball joint, block, shock	30-2184-312	D	109
2wd	3.5	1.75	Spindle, shackle	30-2176-362		67
2wd	3.5	2	Spindle, block	30-2176-352		75
2wd	5.5	3	3.5" spindle, 2" coil spacer, block	30-2176-553	A D	85
2wd	5.5	3	3.5" spindle, 2" coil, block	30-2174-553	A D	110
2wd	5.5	3	3.5" spindle, 2" coil spacer, block, rear shock	30-2186-553	A D	101
2wd	5.5	3	3.5" spindle, 2" coil spacer, block, shock	30-2186-563	D	117
2wd	5.5	3	3.5" spindle, 2" coil, block, shock	30-2184-553	B D	142
2wd	5.5	4	3.5" spindle, 2" coil spacer, block	30-2176-554	B D	89
2wd	5.5	4	3.5" spindle, 2" coil, block	30-2174-554	B D	114
2wd	5.5	4	3.5" spindle, 2" coil spacer, block, rear shock	30-2186-554	A D	105
2wd	5.5	4	3.5" spindle, 2" coil spacer, block, shock	30-2186-564	D	121
2wd	5.5	4	3.5" spindle, 2" coil, block, shock	30-2184-554	D	146
4wd	6	3	Spindle, drop down bracket, block, shock	30-2186-603	M	157
2wd	6.5	3	3.5" spindle, 3" coil, upper ctrl arm & ball joint, block	30-2176-653	B D	142
2wd	6.5	3	3.5" spindle, 3" coil, upper ctrl arm & ball joint, block, shock	30-2186-653	D	174
2wd	6.5	4	3.5" spindle, 3" coil, upper ctrl arm & ball joint, block	30-2176-654	B D	146
2wd	6.5	4	3.5" spindle, 3" coil, upper ctrl arm & ball joint, block, shock	30-2186-654	D	178

HUMMER

Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
-------	--------	-------	----------	-----	---------	----

H3

2006-2008 (Vehicle specs req'd for fitment & exact adjustment)

4wd	1-3		Torsion key (adj)	37-2033-300		7
4wd		2	Shackle	37-2038-002		4
4wd	1-3	2	Torsion key (adj), shackle	37-2073-302		11
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

H2

2003-2008 (Vehicle specs req'd for fitment & exact adjustment)

4wd	1-3		Torsion key (adj, 8 lug only)	37-1033-300		7
4wd		1.75	Shackle	37-1038-002		4
4wd		2	Block	37-1030-002		15



4wd		3	Block	37-1030-003	A	20
4wd		4	Block	37-1030-004	B	24
4wd	1-3	1.75	Torsion key (adj, 8 lug only), shackle	37-1073-302		11

JEEP

Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
-------	--------	-------	----------	-----	---------	----

KJ LIBERTY**2003-2006** (Vehicle specs req'd for fitment & exact adjustment)

2&4wd	3		Strut spacer (alum)	67-2032-300		7
2&4wd		2	Coil	67-2034-002	A	22
2&4wd	3	2	Strut spacer, coil	67-2072-302	A	44
2&4wd	3	2	Strut spacer, coil, rear shock (confirm availability)	67-2082-302		60
2&4wd	3	2	Strut spacer, coil, shock (confirm availability)	67-2082-312		76

Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
-------	--------	-------	----------	-----	---------	----

TJ WRANGLER**1997-2006** (Vehicle specs req'd for fitment & exact adjustment)

4wd	2		Coil	67-1034-200	A	22
4wd	4		Coil	67-1034-400	A	22
4wd		2	Coil	67-1034-002	A	22
4wd		4	Coil	67-1034-004	A	22
4wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	67-1040-000		16
4wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	67-1080-000		32
4wd	2	2	Coil	67-1074-202	A	44
4wd	2	2	Coil, shock	67-1084-202		76
4wd	4	4	Coil	67-1074-404	A	44
4wd	4	4	Coil, shock	67-1084-404		76

MERCURY

Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
-------	--------	-------	----------	-----	---------	----

MOUNTAINEER**2001-2006** (Vehicle specs req'd for fitment & exact adjustment)

4wd	1-3		Torsion key (adj)	31-0533-300		7
4wd		1-2	Shackle (adj)	31-0538-002		7
4wd	1-3	1-2	Torsion key (adj), shackle (adj)	31-0573-302		14

LIFT - Truck & SUV, Import**INFINITY**

Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
-------	--------	-------	----------	-----	---------	----

QX56**2004-2008** (Vehicle specs req'd for fitment & exact adjustment)

2&4wd	2		Strut spacer (fabricated)	40-0332-200		7
2&4wd	2.5		Strut spacer (alum)	40-0332-250		7

MAZDA

Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
-------	--------	-------	----------	-----	---------	----

PICKUP TRUCK (incl B-Series, incl 4 & 6cyl)**1998-2007** (Vehicle specs req'd for fitment & exact adjustment)



2&4wd	1-3		Torsion key (adj) (all 4WD & only Dual Sport 2WD)	50-0733-300		7
2&4wd		1-2	Shackle (adj)	50-0738-002		7
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	50-0740-000		14
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	50-0780-000		28
2&4wd	1-3	1-2	Torsion key (adj), shackle (adj) (all 4WD & only Dual Sport 2WD)	50-0730-302		24
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

PICKUP TRUCK (incl B-Series)

1994-1997 (Vehicle specs req'd for fitment & exact adjustment)

2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	50-0240-000		14
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	50-0280-000		28
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

PICKUP TRUCK (incl B-Series)

1986-1993 (Vehicle specs req'd for fitment & exact adjustment)

2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	50-0540-000		14
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	50-0580-000		28
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

TRIBUTE

2001-2005 (Vehicle specs req'd for fitment & exact adjustment)

2&4wd	1.25		Coil	50-0134-130		22
2&4wd		1.5	Coil	50-0134-002		18
2&4wd	1.25	1.5	Coil	50-0174-132		40

MITSUBISHI

Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
-------	--------	-------	----------	-----	---------	----

PICKUP TRUCK

1983-1997 (Vehicle specs req'd for fitment & exact adjustment)

2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	55-4040-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	55-4080-000		32

NISSAN

Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
-------	--------	-------	----------	-----	---------	----

ARMADA

2004-2008 (Vehicle specs req'd for fitment & exact adjustment)

2&4wd	2		Strut spacer (fabricated)	60-3032-200		7
2&4wd	2.5		Strut spacer (alum)	60-3032-260		7
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

FRONTIER & XTERRA

2005-2008 (Vehicle specs req'd for fitment & exact adjustment)

2&4wd	2		Strut spacer (alum)	60-2032-200		7
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	60-2040-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	60-2080-000		32
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

FRONTIER

1983-2003 (Vehicle specs req'd for fitment & exact adjustment)

2&4wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	60-1740-000		16
2&4wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	60-1780-000		32
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

TITAN



2004-2008

(Vehicle specs req'd for fitment & exact adjustment)

Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
2wd	4		Spindle, extended brake line	60-2536-400		52
2&4wd	2		Strut spacer (alum)	60-2532-210		7
2&4wd	2		Strut spacer (fabricated)	60-2532-200		7
2&4wd	2.5		Strut spacer (alum)	60-2532-260		7
2&4wd	2.5		Strut spacer (fabricated)	60-2532-250		7
2wd	0		Extended brake line (use w spindle)	60-2596-000		4
2wd	0		Carrier bearing bracket (use w spindle spacer lift)	60-2599-000		8
2&4wd		2	Block	60-2530-002		15
2&4wd		3	Block	60-2530-003	A	20
2&4wd		4	Block	60-2530-004	B	24
2&4wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	60-2540-000		16
2&4wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	60-2580-000		32
2&4wd	2	2	Strut spacer (fabricated), block	60-2572-202		22
2&4wd	2.5	2	Strut spacer (alum), block	60-2572-252		22
2wd	4	2	Spindle, brake line, block	60-2576-402		67
2wd	4	3	Spindle, brake line, block	60-2576-403	A	72
2wd	4	3	Spindle, brake line, block, rear shock	60-2586-403		88
2wd	6	4	Spindle, strut spacer (fab), carrier bearing bracket, brake line, block	60-2576-604	B	91
2wd	6	4	Spindle, strut spacer (fab), carrier bearing brkt, brakeline, block, rear shock	60-2586-604		107
2wd	6.5	4	Spindle, strut spacer (fab), carrier bearing bracket, brake line, block	60-2576-654	B	91
2wd	6.5	4	Spindle, strut spacer (alum), carrier bearing bracket, brake line, block	60-2576-664	B	91
2wd	6.5	4	Spindle, strut spacer (fab), carrier bearing brkt, brakeline, block, rear shock	60-2586-654		107
2wd	6.5	4	Spindle, strut spacer (alum), carrier bearing brkt, brakeline, block, rear shock	60-2586-664		107

PICKUP TRUCK (Hardbody, 4 & 6cyl)

1986-1997

(Vehicle specs req'd for fitment & exact adjustment)

2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	60-0540-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	60-0580-000		32

TOYOTA

Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
-------	--------	-------	----------	-----	---------	----

4RUNNER

(Vehicle specs req'd for fitment & exact adjustment)

2&4wd	3		Strut spacer (alum), front differential kit	47-2032-300		9
2&4wd	2.25		Strut spacer (fabricated) (incl all 4WD & only 2WD w 6 lug)	47-2032-230		7
2&4wd		2	Coil	47-2034-002	A	28
2&4wd	3	2	Strut spacer (alum), front differential kit, coil	47-2072-203	A	37

Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
-------	--------	-------	----------	-----	---------	----

FJ CRUISER

2007-2008

(Vehicle specs req'd for fitment & exact adjustment)

2&4wd	3		Strut spacer (alum), front differential kit	47-2532-300		9
2&4wd	2.25		Strut spacer (fabricated) (incl all 4WD & only 2WD w 6 lug)	47-2532-230		7
2&4wd		2	Coil	47-2534-002	A	28
2&4wd	3	2	Strut spacer (alum), front differential kit, coil	47-2572-203	A	37

Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
-------	--------	-------	----------	-----	---------	----

SEQUOIA



2000-2007 (Vehicle specs req'd for fitment & exact adjustment)

2wd	3		Strut spacer (fabricated)	47-0932-300		7
4wd	3		Strut spacer (fabricated) (c/w differential spacer)	47-0932-310		9
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

TACOMA

2005-2008 (Vehicle specs req'd for fitment & exact adjustment)

2&4wd	2		Strut spacer (alum) (incl all 4WD & only 2WD w 6 lug)	47-1132-210		7
2&4wd	2		Strut spacer (fabricated) (incl all 4WD & only 2WD w 6 lug)	47-1132-200		7
2&4wd	2.25		Strut spacer (fabricated) (incl all 4WD & only 2WD w 6 lug)	47-1132-230		7
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

TACOMA

1995.5-2004 (Vehicle specs req'd for fitment & exact adjustment)

2wd	4		Spindle (must be 5 lug)	47-1036-400		46
2&4wd	2.75		Strut spacer (alum) (incl all 4WD & only 2WD PreRunner)	47-1032-280		7
2&4wd		1-3	Shackle (adj) (incl all 4WD & only 2WD PreRunner)	47-1038-003		12
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	47-1040-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	47-1080-000		32
2&4wd	2.75	1-3	Strut spacer,shackle (incl all 4WD & only 2WD PreRunner)	47-1072-283		19
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

TUNDRA

2007-2008 (Vehicle specs req'd for fitment & exact adjustment)

2&4wd	2		Strut spacer (alum)	47-1632-200		7
2&4wd	2.5		Strut spacer (fabricated)	47-1632-250		7
2&4wd		1.5	Shackle	47-1638-002		4
2&4wd	2.5	1.5	Strut spacer (fabricated), shackle	47-1632-252		7
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

TUNDRA

2000-2006 (Vehicle specs req'd for fitment & exact adjustment)

2&4wd	2		Strut spacer (alum)	47-1532-200		7
2wd	2.75		Strut spacer (alum)	47-1532-280		7
4wd	2.75		Strut spacer (alum) (c/w differential spacer)	47-1532-290		9
2wd	3		Strut spacer (fabricated) (incl ext cab & 04-06 dbl cab)	47-1532-300		7
4wd	3		Strut spacer (fabricated) (incl ext & 04-06 dbl cab) (c/w diff spacer)	47-1532-310		9
2&4wd		1.5	Shackle	47-1538-002		4
2wd	2.75	1.5	Strut spacer (alum), shackle	47-1572-282		11
4wd	2.75	1.5	Strut spacer (alum) (c/w differential spacer), shackle	47-1572-292		13
2wd	3	1.5	Strut spacer (fabricated), shackle	47-1572-302		11
4wd	3	1.5	Strut spacer (fabricated) (c/w differential spacer), shackle	47-1572-312		13
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT

PICKUP TRUCK

1984-1994 (Vehicle specs req'd for fitment & exact adjustment)

2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	47-0540-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	47-0580-000		32

LOWERING & LIFT - Blocks & Shocks

BLOCK KITS - Domestic & Import



Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
LOWERING (extruded alum blocks angled correctly for 2&4wd)						
2&4wd		2	Block	99-9910-002		6
2&4wd		3	Block	99-9910-003	A	7
2&4wd		4	Block	99-9910-004	B	8
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
LIFT (cast iron blocks angled for 2wd only. Exception: Ranger 2&4wd, uses alum)						
2wd		2	Block	99-9930-002		15
2wd		3	Block	99-9930-003	A	20
2wd		4	Block	99-9930-004	B	24

SHOCKS - Domestic & Import						
Model	Front"	Rear"	Kit Type	P/N	Fitment	WT
LOWERING, LIFT & OE HT. (Specific fit. See SHOCKS description for details.)						
2wd	0	0	Shock : Street series, front or rear (lowered or OE ht)	99-9920-000		14
2wd	0	0	Shock : Street series, front & rear (lowered or OE ht)	99-9960-000		28
2wd	0	0	Shock : Off-Road Series, front or rear (lifted or OE ht)	99-9940-000		16
2wd	0	0	Shock : Off-Road Series, front & rear (lifted or OE ht)	99-9980-000		32

FOOTNOTES

Fitment Column Detail

- A. Shock kit recommended for optimal performance (or shock extender kit).
- B. Shock kit required (or shock extender kit).
- C. Upper lift control arm kit required.
- D. Camber kit recommended (for front optimal performance).
- E. Extended brake line kit recommended.
- F. Due to sag of OE coils, some customers will prefer coils with more drop.
- G. Wheel spacer kit required for use with wider-than-stock tires on stock rims.
- H. For use with shackles.
- J. Requires 17" wheel or larger.
- K. Requires 16x8" wheel or larger.
- L. Maximum tire size is 35"
- M. Must specify transmission.
- N. Must specify fuel type.